

**DISCLAIMER:** Two sleeves are provided with the handle kit to accommodate different setbacks of the in-wall from the finish wall. Ensure finish wall is located between Point **A** (minimum) and Point **B** (maximum).

**Note:** Dimensions are nominal measurements only

## SPECIFICATIONS

### RECOMMENDED USE

Domestic / Commercial

### MATERIAL

Stainless Steel 304

### TEMPERATURE RATING

Maximum continuous working temperature 75°C  
If the water temperature exceeds 75°C, an approved tempering valve must be fitted

### PRESSURE RATING

Recommended minimum working pressure 150kPa  
Recommended maximum working pressure 500kPa  
Hot and cold water inlet pressure should be equal

### SUITABLE HOT WATER UNITS

Storage tank: Yes  
Continuous Flow: Yes  
Gravity Feed: Not suitable

# INSTALLATION GUIDE


**Note:** This product must be installed by a licensed plumber. This is a general installation guide - there are many factors involved that can alter the installation method. **AU/NZ:** For installations within Australia and New Zealand, this product must be installed in compliance with AS/NZS 3500. **UK:** For installations in the United Kingdom this product must be installed in compliance with the Water Supply (Water Fittings) Regulations and Water Supply (Water Fittings) (Scotland) Byelaws. **Other:** For installations outside these countries, this product must be installed in compliance with the standards in your respective country.




## ROUGH IN

See specification image for finish wall setback


① Screw in-wall body into wall structure with provided screws.



② Connect hot and cold lines. TEST AND CHECK FOR LEAKS.




③ Sheeting and waterproof layer can now be applied.  
\*Ensure cutout in finish wall is  $\text{Ø}50\text{mm}$  diameter for the mixer handle and  $\text{Ø}27\text{mm}$  for the spout.



## WHAT'S IN THE BOX


- 1. Body
- 2. Fixing screws (x6)
- 3. Cartridge
- 4. Locking nut
- 5. Spout nipple



Regularly clean with mild liquid detergent or soap and water



DO NOT use cream cleaners or bleach. These substances are abrasive



DO NOT use cleaning pads with abrasive surfaces as this may scratch the material