



Front View




Side View




Back View



Front View



Side View




Back View

Note: Dimensions are nominal measurements only

SPECIFICATIONS

RECOMMENDED USE

Domestic/ Commercial



Note: Dimensions are nominal measurements only

SPECIFICATIONS

RECOMMENDED USE

Domestic/ Commercial

MATERIAL

Stainless Steel 316

DOOR THICKNESS

35-45mm


INSTALLATION GUIDE

Note: This product must be installed by a licensed plumber. This is a general installation guide - there are many factors involved that can alter the installation method. **AU/NZ:** For installations within Australia and New Zealand, this product must be installed in compliance with AS/NZS 3500. **UK:** For installations in the United Kingdom this product must be installed in compliance with the Water Supply (Water Fittings) Regulations and Water Supply (Water Fittings) (Scotland) Byelaws. **Other:** For installations outside these countries, this product must be installed in compliance with the standards in your respective country.




Mortise Lock & Eurocylinder


- ① Check in door according to the cutting guide & fix mortise lock into door using the screws provided.



- ② Depending on your door use the snap-off bolts or the fixings screw to secure the rose to either side of the door. Then push the cover plates over.




- ③ Insert the Eurocylinder and fix using the screw provided.




Strike Plate

- ① Check in door jam according to the cutting guide, be sure to cut the tongue in the direction the door swings.




- ② Screw in dustbox and strike plate.



Regularly clean with mild liquid detergent or soap and water








DO NOT use cream cleaners or bleach. These substances are abrasive



DO NOT use cleaning pads with abrasive surfaces as this may scratch the material



Note: This product must be installed by a licensed plumber. This is a general installation guide - there are many factors involved that can alter the installation method. **AU/NZ:** For installations within Australia and New Zealand, this product must be installed in compliance with AS/NZS 3500. **UK:** For installations in the United Kingdom this product must be installed in compliance with the Water Supply (Water Fittings) Regulations and Water Supply (Water Fittings) (Scotland) Byelaws. **Other:** For installations outside these countries, this product must be installed in compliance with the standards in your respective country.






Printable Cutting Guide

Print at A4



INSTALLATION GUIDE

Note: This product must be installed by a licensed plumber. This is a general installation guide - there are many factors involved that can alter the installation method. **AU/NZ:** For installations within Australia and New Zealand, this product must be installed in compliance with AS/NZS 3500. **UK:** For installations in the United Kingdom this product must be installed in compliance with the Water Supply (Water Fittings) Regulations and Water Supply (Water Fittings) (Scotland) Byelaws. **Other:** For installations outside these countries, this product must be installed in compliance with the standards in your respective country.



In The Box


- 1. Roller catch/ mortise lock (x1)
- 2. Strike plate left (x1)
- 3. Strike plate right (x1)
- 4. Dust box (x1)
- 5. Fixing screw 25mm (x2)
- 6. Fixing screw 16mm (x3)
- 7. Bracket (x2)
- 8. Cover plate (x2)
- 9. M4 x 60mm Snap-off bolt (x2)
- 10. M4 Hex Nuts (x2)
- 11. Fixing screw 20mm (x4)



Regularly clean with mild liquid detergent or soap and water




DO NOT use cream cleaners or bleach. These substances are abrasive




DO NOT use cleaning pads with abrasive surfaces as this may scratch the material

STONE HALF MOON ENTRY DOOR PULL



Top View



Back View

Front View

Note: Dimensions are nominal measurements only

SPECIFICATIONS

RECOMMENDED USE

Domestic/ Commercial

MATERIAL

Carrara Marble

MOUNTING HARDWARE INCLUDED

Yes



INSTALLATION GUIDE

Note: This product must be installed by a licensed plumber. This is a general installation guide - there are many factors involved that can alter the installation method. **AU/NZ:** For installations within Australia and New Zealand, this product must be installed in compliance with AS/NZS 3500. **UK:** For installations in the United Kingdom this product must be installed in compliance with the Water Supply (Water Fittings) Regulations and Water Supply (Water Fittings) (Scotland) Byelaws. **Other:** For installations outside these countries, this product must be installed in compliance with the standards in your respective country.



SINGLE SIDED INSTALLATION

1. Measure and mark out the desired position for handle on both sides of door.
 2. Drill prescribed holes through door for handle fixings
2. Mount handle by inserting bolt through drilled holes.
- CAUTION:** Do not use a power drill or impact driver to fasten.
Tighten the bolts with a hand screwdriver until snug, then stop. **Do not over-tighten.**



Regularly clean with mild liquid detergent or soap and water.



DO NOT use cream cleaners or bleach. These substances are abrasive.




DO NOT use cleaning pads with abrasive surfaces as this may scratch the material.

INSTALLATION GUIDE

Note: This product must be installed by a licensed plumber. This is a general installation guide - there are many factors involved that can alter the installation method. **AU/NZ:** For installations within Australia and New Zealand, this product must be installed in compliance with AS/NZS 3500. **UK:** For installations in the United Kingdom this product must be installed in compliance with the Water Supply (Water Fittings) Regulations and Water Supply (Water Fittings) (Scotland) Byelaws. **Other:** For installations outside these countries, this product must be installed in compliance with the standards in your respective country.



In The Box



In The Box
1. Handle (x1) 2. Snap-off bolt (x2)



Regularly clean with mild liquid detergent or soap and water.



DO NOT use cream cleaners or bleach. These substances are abrasive.



DO NOT use cleaning pads with abrasive surfaces as this may scratch the material.